

ALASKA NATIVE CLAIMS SETTLEMENT ACT
(ANCSA) SECTION 14(c) LOTS 1 THROUGH 4
(P.L. 92-203, 85 STAT. 688, 702, 703)
CHOGGIUNG, LIMITED
AT
DILLINGHAM, ALASKA
AND
THE RETRACEMENT OF PORTIONS OF AMENDED
U.S. SURVEY NO. 4924 AND
U.S. SURVEY NO. 7264


This plat contains the entire survey record.
U.S. Survey No. 4923 was surveyed by Walter W. Cooley, Cadastral Surveyor, in 1966.
Amended U.S. Survey No. 4924 was surveyed by Hobart B. Hyatt, Cadastral Surveyor, in 1973 and retraced and subdivided by Bryan S. Seibold, Cadastral Surveyor, in 1983.
U.S. Survey No. 7264 was surveyed by Charles E. Akin, Jr., Cadastral Surveyor, in 1982.
This survey was executed by Jon L. Kehler, Cadastral Surveyor, June 12 through June 22, 1990, in accordance with the principles set forth in Manual of Surveying Instructions, 1973; Special Instructions approved April 16, 1990; the Dillingham ANCSA 14(c) Map of Boundaries approved March 13, 1990; and Assignment Instructions dated May 31, 1990.

Field assistant was:
David M. Klein, Student Trainee (LS)
Area: 5.30 Acres.
The azimuth was obtained from a retracement of line 1-2, Lot 2, Amended U.S. Survey No. 4924, a retracement of line 5-6, U.S. Survey No. 7264, and from the direct observation of the sun and refers to the true meridian.


The geographic position of the witness corner to corner No. 1, Lot 1, identical to the witness corner to corner No. 1, Lot 1, Amended U.S. Survey No. 4924, both meander corners, as determined from the record of Amended U.S. Survey No. 4924, is:
Latitude: 59° 15' 26.15" North
Longitude: 158° 34' 31.53" West
NAD 27
The mean magnetic declination was taken from U.S. Geological Survey quadrangle map "DILLINGHAM (A-8)," Alaska, 1952 edition.

The land is relatively level, covered with spruce, birch, and alder.
The term DEEP-1 magnet refers to a magnetic marker composed of strontium enclosed in a color coded plastic container. The units are 1 inch diameter and 2 1/2 inches long.


UNITED STATES DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT
Anchorage, Alaska
The survey represented by this plat, sheets 1 - 3, having been properly executed and examined, is hereby accepted for having fulfilled requirements of Section 14(c) of the Alaska Native Claims Settlement Act.
For the Director
George P. Swart 17 March 1993
Deputy State Director for Cadastral Survey, Alaska




Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd. as shown, from which
A spruce, 4 ins. diam., bears N. 52° E., 8.3 ft. dist., mkd. X BT.
A spruce, 6 ins. diam., bears S. 62 1/2° E., 23.4 ft. dist., mkd. X BT.
Bury an orange DEEP-1 magnet, at the base of the stainless steel post.




Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd. as shown, from which
A spruce, 9 ins. diam., bears N. 14 1/2° E., 42.9 ft. dist., mkd. X BT.
A spruce, 6 ins. diam., bears S. 85 1/2° E., 37.6 ft. dist., mkd. X BT.
Bury a grey DEEP-1 magnet, at the base of the stainless steel post.




Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 27 ins. in the ground, with brass cap mkd. as shown, from which
A spruce, 6 ins. diam., bears S. 42 3/4° E., 3.8 ft. dist., mkd. X BT.
A spruce, 4 ins. diam., bears S. 35 1/4° W., 26.0 ft. dist., mkd. X BT.
Bury an orange DEEP-1 magnet, at the base of the stainless steel post.




Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd. as shown.
No accessories taken.
Bury an orange DEEP-1 magnet, at the base of the stainless steel post.



Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 27 ins. in the ground, with brass cap mkd. as shown, from which
A spruce, 7 ins. diam., bears N. 43 3/4° E., 52.1 ft. dist., mkd. X BT.
A spruce, 6 ins. diam., bears N. 88° E., 43.2 ft. dist., mkd. X BT.
Bury a blue DEEP-1 magnet, at the base of the stainless steel post.




Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd. as shown, from which
A spruce, 11 ins. diam., bears S. 65 1/4° E., 31.4 ft. dist., mkd. X BT.
A spruce, 12 ins. diam., bears S. 46° E., 71.5 ft. dist., mkd. X BT.
Bury a pink DEEP-1 magnet, at the base of the stainless steel post.




Recovered an alum. post, 2 1/2 ins., firmly set, projecting 3 ins. above ground, with alum. cap mkd. as shown, from which the original bearing trees
A spruce, 6 ins. diam., bears S. 1 1/4° E., 11.8 ft. dist., mkd. X BT on an open blaze.
A spruce, 9 ins. diam., bears N. 31° W., 4.7 ft. dist., (Record, N. 28 1/4° W.), mkd. X BT on an open blaze.



Recovered an iron post, 2 1/2 ins. diam., firmly set, projecting 6 ins. above ground, with brass cap mkd. WCMC AM CLI S4924 1968 1983 73, add marks to the cap to read as shown, from which the original bearing trees
A spruce, 12 ins. diam., bears S. 33° E., 52.8 ft. dist., with illegible scribe marks visible on a partially healed blaze.
A spruce, 10 ins. diam., dead and standing, bears S. 11 1/2° E., 56.1 ft. dist., mkd. X BT on an open blaze.
And a new bearing tree
A spruce, 5 ins. diam., bears N. 81 3/4° E., 46.2 ft. dist., mkd. X BT.



Lots 1 and 2 are situated on the left bank of the Wood River, approximately 15 miles northwesterly of Dillingham within, Township II South, Range 55 West, Seward Meridian, Alaska.



MEANDERS


On the left bank of the Wood River, along a well-defined bank, 2 to 3 feet high, at the line of ordinary high water.

LOT 1	
1. S. 23° 14' E.,	208.89 ft.
LOT 2	
2. S. 10° 32' E.,	224.60 ft.
3. S. 14° 21' E.,	100.98 ft.
4. S. 23° 14' E.,	53.33 ft.

I, Jon L. Kehler, Cadastral Surveyor, HEREBY CERTIFY upon honor that I have executed the ANCSA 14(c) Survey depicted on this plat, sheets 1 - 3, in conformity with the Special Instructions approved April 16, 1990, the principles of survey described in the Manual of Surveying Instructions, 1973, and in the specific manner described on this plat.
4/16/92 Date
Jon L. Kehler
Cadastral Surveyor


9.3-1
RECORDED - FILED 30
Bristol REC. DIST.
BAY
DATE 4/16 1993
TIME 11:38 A.M.
Recorded by (USA/BUM)
Address

I hereby certify that Lots 1 through 4 represented on this plat of survey are on lands Interim Conveyed to Choggiung, Limited, by Interim Conveyance Nos. 233 and 335 issued by the United States of America; said lots also fulfill all entitlements under the provisions of ANCSA 14(c) as requested by Choggiung, Limited, Resolution Agreement No. 90-4, and the Dillingham ANCSA 14(c) Map of Boundaries approved March 13, 1990.
3/19/93 Date
Christa Siver
President, Choggiung, Limited



ALASKA NATIVE CLAIMS SETTLEMENT ACT
(ANCSA) SECTION 14(c) LOTS 1 THROUGH 4
(P.L. 92-203, 85 STAT. 688, 702, 703)
CHOGGIUNG, LIMITED
AT
DILLINGHAM, ALASKA

REFERENCE SHOULD BE MADE
TO SHEET NO. 1
FOR SURVEY INFORMATION




Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd. as shown, from which

A spruce, 5 ins. diam., bears S. 67 1/2° E., 10.3 ft. dist., mkd. X BT.

A spruce, 9 ins. diam., bears S. 7° E., 49.9 ft. dist., mkd. X BT.

Bury an orange DEEP-I magnet, at the base of the stainless steel post.




Recovered a plastic post, 2 1/2 ins. diam., firmly set, projecting 3 ins. above ground, with brass cap mkd. as shown, from which the original bearing trees

A spruce, 6 ins. diam., bears N. 48 3/4° E., 5.0 ft. dist., (Record, N. 45° E.), mkd. X BT on a partially heated blaze.

A spruce, 8 ins. diam., bears N. 62 1/4° W., 19.5 ft. dist., (Record, N. 55° W.), mkd. X BT on a partially heated blaze.

Note: The original record does not show marks C4 L3 on the brass cap.




Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 27 ins. in the ground, with brass cap mkd. as shown

A spruce, 10 ins. diam., bears S. 76° E., 24.7 ft. dist., mkd. X BT.

A spruce, 7 ins. diam., bears S. 30° W., 4.0 ft. dist., mkd. X BT.

Bury a pink DEEP-I magnet, at the base of the stainless steel post.




Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd. as shown, from which

A spruce, 11 ins. diam., bears S. 81 1/2° W., 29.7 ft. dist., mkd. X BT.

A spruce, 7 ins. diam., bears N. 42° W., 15.5 ft. dist., mkd. X BT.

Bury a grey DEEP-I magnet, at the base of the stainless steel post.






Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 28 ins. in the ground, with brass cap mkd. as shown, from which

A spruce, 6 ins. diam., bears S. 37° W., 28.7 ft. dist., mkd. X BT.

A spruce, 10 ins. diam., bears N. 50 1/2° W., 20.7 ft. dist., mkd. X BT.

Bury a clear DEEP-I magnet, at the base of the stainless steel post.




93-1

RECORDED - FILED	30
Bristol REC. DIST.	
DATE	4/6 1993
TIME	11:38 A.M.
Requested by	(USA/BLM)
Address	

ALASKA NATIVE CLAIMS SETTLEMENT ACT
(ANCSA) SECTION 14(c) LOTS 1 THROUGH 4
(P.L. 92-203, 85 STAT. 688, 702, 703)
CHOGGIUNG, LIMITED
AT
DILLINGHAM, ALASKA


REFERENCE SHOULD BE MADE
TO SHEET NO. 1
FOR SURVEY INFORMATION



Recovered a copper rod, 9/16 in. diam., firmly set, 6 ins. below the surface of the road, with brass cap, 1 1/2 ins. diam., mkd. as shown, from which the original bearing trees

A spruce, 8 ins. diam., bears N. 43° E., 101.4 ft. dist., mkd. X BT on a partially healed blaze.

A spruce, 11 ins. diam., bears S. 55 1/4° W., 68.1 ft. dist., (Record, S. 58° W.), mkd. C5 S7264 BT on a partially healed blaze.




Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd. as shown, from which

A spruce, 15 ins. diam., bears N. 21° E., 21.4 ft. dist., mkd. X BT.

A spruce, 6 ins. diam., bears S. 78° E., 93.4 ft. dist., mkd. X BT.

Bury an orange DEEP-1 magnet, at the base of the stainless steel post.




Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 27 ins. in the ground, with brass cap mkd. as shown, from which

A spruce, 7 ins. diam., bears N. 75 1/2° E., 43.8 ft. dist., mkd. X BT.

A spruce, 9 ins. diam., bears S. 56° E., 75.7 ft. dist., mkd. X BT.

Bury a pink DEEP-1 magnet, at the base of the stainless steel post.




Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 28 ins. in the ground, with brass cap mkd. as shown, from which

A spruce, 9 ins. diam., bears N. 60 1/2° E., 8.2 ft. dist., mkd. X BT.

A spruce, 7 ins. diam., bears S. 64 1/2° E., 9.4 ft. dist., mkd. X BT.

Bury an orange DEEP-1 magnet, at the base of the stainless steel post.




Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 28 ins. in the ground, with brass cap mkd. as shown.

A spruce, 10 ins. diam., bears S. 59° W., 41.9 ft. dist., mkd. X BT.

A spruce, 8 ins. diam., bears N. 41° W., 41.4 ft. dist., mkd. X BT.


Bury a blue DEEP-1 magnet, at the base of the stainless steel post.





Recovered a copper rod, 9/16 in. diam., firmly set, 6 ins. below the surface of the road, with brass cap, 1 1/2 ins. diam., mkd. as shown, from which the original bearing trees

A spruce, 14 ins. diam., bears S. 49 1/2° W., 54.4 ft. dist., (Record, S. 58° W.), mkd. C6 S7264 BT on a partially healed blaze.

A spruce, 9 ins. diam., bears N. 65° W., 48.7 ft. dist., mkd. X BT on a partially healed blaze.



U. S. SURVEY
NO. 7264



93-1
RECORDED - FILED 30
Bristol REC DIST.
BAY 4/6 93
DATE 11:38 1993
TIME 11:38 A.M.
Recorded by (USA/BSM)
Address