

I hereby certify that the Lots 1 through 47 represented on this plat of survey are on lands Interim Conveyed to the Choggiung, Limited, by Interim Conveyance No. 239 issued by the United States of America; said lots also fulfill all entitlements under the provisions of ANCSA 14(c) as requested by Choggiung, Limited, Resolution Agreement No. 90-2, and the Ekuk ANCSA 14(c) Map of Boundaries approved April 10, 1990.

5-5-92  
Date

*Handwritten Signature*  
President, Choggiung, Limited

NOTE:

Lots 1 - 31 and the Rights-of-Way for Slough Street, Main Street, Beach Road, Schooner Street, and Nick's Road are located within Township 16 South, Range 56 West, Seward Meridian.

Lots 32 - 42 are located within Township 16 South, Range 55 West, Seward Meridian.

Lots 43 - 47 are located within Township 17 South, Range 55 West, Seward Meridian.

Sheet 1 of 16

ALASKA NATIVE CLAIMS SETTLEMENT ACT (ANCSA) SECTION 14(c) LOTS 1 THROUGH 47 (P.L. 92-203, 85 STAT. 688, 702, 703) CHOGGIUNG, LIMITED AT EKUK, ALASKA AND THE RETRACEMENT OF PORTIONS OF AMENDED U.S. SURVEY NO. 769 AND U.S. SURVEY NOS. 862, 1795, AND 2884 AND THE DEPENDENT RESURVEY OF A PORTION OF U.S. SURVEY NO. 1703

This plat contains the entire survey record.

Amended U.S. Survey No. 769 was surveyed by Harold H. Waller, Deputy Surveyor, in 1912.

U.S. Survey No. 862 was surveyed by Clinton Gurnee, Deputy Surveyor, in 1908 and dependently resurveyed by Craig S. Dukhart, Cadastral Surveyor, in 1988.

U.S. Survey No. 1703 was surveyed by Charles S. Hubbell, Deputy Surveyor, in 1926.

U.S. No. 1795 was surveyed by Charles S. Hubbell, Deputy Surveyor, in 1927.

U.S. Survey No. 2713 was surveyed by Harold H. Waller, Deputy Surveyor, in 1946 and 1947.

U.S. Survey Nos. 2884 and 3005 were surveyed by Jack C. Means, Cadastral Engineer, in 1952.

U.S. Survey No. 9990 was surveyed by Jon L. Kehler, Cadastral Surveyor, in 1990.

This survey was executed by Jon L. Kehler, Cadastral Surveyor, July 14 through September 12, 1990, in accordance with the specifications set forth in the Manual of Surveying Instructions, 1973, Special Instructions approved June 19, 1990, the Ekuk ANCSA 14(c) Map of Boundaries approved April 10, 1990, and Assignment Instructions dated July 2, 1990.

Field assistant was:

David M. Klein, Student Trainee (LS)

Area: 44.78 Acres.

The azimuth was obtained from the retracement of U.S. Survey Nos. 862, 1795, and 2713 and direct observations of the sun and refers to the true meridian.

The geographic position of corner No. 1, ANCSA 14(c) Lot 1, as determined from a tie to U.S. Survey No. 2884, is:

Latitude: 58° 48' 36.40" North NAD 27  
Longitude: 158° 33' 35.80" West

The mean magnetic declination was taken from U.S. Geological Survey quadrangle map "NUSHAGAK BAY (C-1)," Alaska, 1952 edition, with minor revisions in 1966 and "NUSHAGAK BAY (D-2)," Alaska, 1952 edition.

A diligent search was made to identify evidence of all previously established corner monuments. Some of the original corner evidence was recovered and when necessary remonumented. The lost corners were reestablished by appropriate methods.

This survey is situated on the easterly shore of Nushagak Bay between the village of Ekuk, Alaska, and Etolin Point.

The land is generally level, covered with native grasses, alder, and willow.

The term DEEP-1 magnet refers to a magnetic marker composed of strontium encased in a color coded plastic container. The units are 1 inch diameter and 2 1/2 inches long.


UNITED STATES DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT  
Anchorage, Alaska

The survey represented by this plat, sheets 1 - 16, having been properly executed and examined, is hereby accepted for having fulfilled the requirements of Section 14(c) of the Alaska Native Claims Settlement Act.

For the Director

*George P. Orsiatt* 7 MAY 1992  
Date

Deputy State Director for Cadastral Survey, Alaska



Mean Magnetic Declination 20° E.

I, Jon L. Kehler, Cadastral Surveyor, HEREBY CERTIFY upon honor that I have executed the ANCSA 14(c) Survey depicted on this plat, sheets 1 - 16, in conformity with the Special Instructions approved June 19, 1990, the principles of survey described in the Manual of Surveying Instructions, 1973, and in the specific manner described on this plat.

1/14/92  
date



*Jon L. Kehler*  
Cadastral Surveyor

92-13  
RECORDED - FILED 95  
BRISTOL BAY DIST.  
DATE 5/12 1992  
TIME 10:45 A.M.  
Witnessed by (B.M.)  
Address 222 W. 7th St.  
ANCH. AK. 99513


ETOLIN POINT

ALASKA NATIVE CLAIMS SETTLEMENT ACT  
(ANCSA) SECTION 14(c) LOTS 1 THROUGH 47  
(P.L. 92-203, 85 STAT. 688, 702, 703)  
CHOGGIUNG, LIMITED  
AT  
EKUK, ALASKA

REFERENCE SHOULD BE MADE  
TO SHEET NOS. 1, 3, AND 4  
FOR SURVEY INFORMATION



- LEGEND**
- an iron post, 2 1/2" diam., 28" long, with brass cap.
  - an iron rebar, 5/8 in. diam., with alum. cap mkd. EKUK 1990 and appropriate cor. delineation.
  - recovered B.L.M. monument.
  - ⊗ an alum. sectional rod, 3/4 in. diam., with alum. cap.




92-13


RECORDED - FILED 75  
Bristol Bay DIST.  
DATE 5/12 1992  
TIME 10:45 P.M.  
Requested by (BLM)  
Address 222 W 7th #73  
ANCH, AK. 99513

ALASKA NATIVE CLAIMS SETTLEMENT ACT  
 (ANCSA) SECTION 14(c) LOTS 1 THROUGH 47  
 (P.L. 92-203, 85 STAT. 688, 702, 703)  
 CHOGGIUNG, LIMITED  
 AT  
 EKUK, ALASKA


REFERENCE SHOULD BE MADE  
 TO SHEET NO. 1  
 FOR SURVEY INFORMATION




Set flush with the ground, with cap mkd. as shown, from which  
 The northerly cor. of a plywood house, 22.5 x 27.5 ft., bears S. 5° W., 178.2 ft. dist., long side extends S. 32° W.  
 Pits impractical.  
 Bury a blue DEEP-I magnet at the base of the iron post.




Set 2 ins. below the ground, with cap mkd. as shown  
 The NW cor. of a plywood house, 18 x 20 ft., bears S. 44° E., 28.0 ft. dist., long side extends N. 76° E.  
 Bury a pink DEEP-I magnet at the base of the iron post.




Set 2 ins. below the ground, with cap mkd. as shown, from which  
 The NW cor. of a shingle-sided house, 31 x 31.4 ft., bears S. 51 1/2° E., 41.5 ft. dist., long side extends S. 15° E.  
 Pits impractical.  
 Bury a silver DEEP-I magnet at the base of the iron post.




Set 27 ins. in the ground, with cap mkd. as shown  
 Dig pits, 18 x 18 x 12 ins., on line, NW and SW, 3 ft. dist.  
 Bury an orange DEEP-I magnet at the base of the iron post.




Set flush with the ground, with cap mkd. as shown  
 Dig pits, 18 x 18 x 12 ins., on line, SW and NW, 3 ft. dist.  
 Bury a blue DEEP-I magnet at the base of the iron post.




Set flush with the ground, with cap mkd. as shown  
 No accessories taken.  
 Bury a blue DEEP-I magnet at the base of the iron post.




Set 27 ins. in the ground, with cap mkd. as shown  
 No accessories taken.  
 Bury a silver DEEP-I magnet at the base of the iron post.




Set 4 ins. below the ground, with cap mkd. as shown, from which  
 The northerly cor. of a plywood house, 22.5 x 27.5 ft., bears S. 26.5° E., 82.2 ft. dist., long side extends S. 32° W.  
 Acorn Mountain summit bears N. 48° W.  
 Pits impractical.  
 Bury a pink DEEP-I magnet at the base of the iron post.




Set 3 ins. below the ground, with cap mkd. as shown  
 No accessories available, pits impractical.  
 Bury an orange DEEP-I magnet at the base of the iron post.




Set 27 ins. in the ground, with cap mkd. as shown, from which  
 The SE cor. of a plywood house, 16 x 28 ft., bears N. 70° W., 89.0 ft. dist., long side extends N. 53° E.  
 Pits impractical.  
 Bury a silver DEEP-I magnet at the base of the iron post.




Set 26 ins. in the ground, with cap mkd. as shown, from which  
 The NE cor. of a plywood house, 9.3 x 23.3 ft., bears S. 60° W., 39.4 ft. dist., long side extends S. 12° E.  
 Pits impractical.  
 Bury an orange DEEP-I magnet at the base of the iron post.




Set 26 ins. in the ground, with cap mkd. as shown  
 Dig pits, 18 x 18 x 12 ins., on line, SW and NW, 3 ft. dist.  
 Bury a pink DEEP-I magnet at the base of the iron post.




Set 27 ins. in the ground, with cap mkd. as shown  
 No accessories taken.  
 Bury a blue DEEP-I magnet at the base of the iron post.




Set 5 ins. below the ground, with cap mkd. as shown, from which  
 The SW cor. of plywood house, 16 x 28 ft., bears N. 20° E., 72.3 ft. dist., long side extends N. 12° W.  
 The NW cor. of a green plywood house, 8 x 10 ft., bears N. 88° E., 29.0 ft. dist., long side extends S. 18° E.  
 Pits impractical.  
 Bury a silver DEEP-I magnet at the base of the iron post.




Set 3 ins. below the ground, with cap mkd. as shown, from which  
 The SW cor. of a green plywood house, 11.6 x 25 ft., bears N. 45° E., 27.4 ft. dist., long side extends N. 20° W.  
 The NW cor. of a plywood shed, 9.3 x 23.3 ft., bears S. 86° E., 18.5 ft. dist., long side extends S. 12° E.  
 Pits impractical.  
 Bury an orange DEEP-I magnet at the base of the iron post.




Set 2 ins. below the ground, with cap mkd. as shown, from which  
 The NW cor. of a corrugated tin house, 12 x 49 ft., bears S. 15° E., 45.3 ft. dist., long side extends S. 88° E.  
 The SW cor. of a plywood house, 12 x 12 ft., bears N. 2 1/2° E., 10.8 ft. dist., long side extends N. 12° W.  
 Pits impractical.  
 Bury a pink DEEP-I magnet at the base of the iron post.




Drive an alum. rod, 15 ft. long, flush with the ground, with cap mkd. as shown  
 No accessories available, pits impractical.




Set flush with the ground, with cap mkd. as shown, from which  
 The SW cor. of a plywood house, 16 x 28 ft., bears N. 53° E., 47.8 ft. dist., long side extends N. 12° W.  
 Pits impractical.  
 Bury a pink DEEP-I magnet at the base of the iron post.




Set 26 ins. in the ground, with cap mkd. as shown, from which  
 The NE cor. of green plywood house, 11.6 x 25 ft., bears N. 50 1/2° W., 157.7 ft. dist., long side extends S. 20° E.  
 Pits impractical.  
 Bury an orange DEEP-I magnet at the base of the iron post.




Set 27 ins. in the ground, with cap mkd. as shown  
 Dig pits, 18 x 18 x 12 ins., on line, SE and SW, 3 ft. dist.  
 Bury a silver DEEP-I magnet at the base of the iron post.




Set 26 ins. in the ground, with cap mkd. as shown  
 Dig pits, 18 x 18 x 12 ins., on line, SW and NW, 3 ft. dist.




Set 25 ins. in the ground, with cap mkd. as shown  
 Dig pits, 18 x 18 x 12 ins., on line, SW and SE, 3 ft. dist.  
 Bury a silver DEEP-I magnet at the base of the iron post.




Set 1 in. below the ground, with cap mkd. as shown, from which  
 The SW cor. of tarpaper-covered house, 12.8 x 21 ft., bears N. 48° E., 36.5 ft. dist., long side extends N. 77° E.  
 The NW cor. of a green plywood house, 10 x 20 ft., bears N. 76 1/2° E., 19.1 ft. dist., long side extends S. 36° W.  
 Pits impractical.  
 Bury a pink DEEP-I magnet at the base of the iron post.



Set flush with the ground, with cap mkd. as shown  
 Dig pits, 18 x 18 x 12 ins., on line, SW and NW, 3 ft. dist.  
 Bury an orange DEEP-I magnet at the base of the iron post.



Set 27 ins. in the ground, with cap mkd. as shown, from which  
 The NE cor. of a shingle-sided house, 31 x 31.4 ft., bears S. 60 1/2° W., 145.9 ft. dist., long side extends S. 15° E.  
 Pits impractical.  
 Bury a pink DEEP-I magnet at the base of the iron post.




Set 25 ins. in the ground, with cap mkd. as shown  
 No accessories taken, Pits impractical.  
 Bury a blue DEEP-I magnet at the base of the iron post.

92-13


RECORDED - FILED 95-  
 BRISTOL BAY, A.C. DIST.  
 DATE 5/12 1992  
 TIME 10:45 A.M.  
 Prepared by (BLM)  
 Address 222 W. 74 #73  
 ANCH. AK. 99513

ALASKA NATIVE CLAIMS SETTLEMENT ACT  
(ANCSA) SECTION 14(c) LOTS 1 THROUGH 47  
(P.L. 92-203, 85 STAT. 688, 702, 703)  
CHOGGIUNG, LIMITED  
AT  
EKUK, ALASKA


REFERENCE SHOULD BE MADE  
TO SHEET NO. 1  
FOR SURVEY INFORMATION




Set 26 ins. in the ground, with cap mkd. as shown  
Dig pits, 18 x 18 x 12 ins., on line, SE and SW, 3 ft. dist.  
Bury a silver DEEP-I magnet at the base of the iron post.




Set flush with the ground, with cap mkd. as shown  
No accessories available, pits impractical.  
Bury a silver DEEP-I magnet at the base of the iron post.




Set flush with the ground, with cap mkd. as shown  
No accessories available, pits impractical.  
Bury a silver DEEP-I magnet at the base of the iron post.




Set 25 ins. in the ground, with cap mkd. as shown, from which  
The SW cor. of a green plywood house, 10 x 20 ft., bears N. 3° E., 65.9 ft. dist., long side extends N. 36° W.  
Pits impractical.  
Bury a silver DEEP-I magnet at the base of the iron post.




Set 26 ins. in the ground, with cap mkd. as shown  
No accessories available, pits impractical.  
Deposit brown broken glass at the base of post.




Set 27 ins. in the ground, with cap mkd. as shown  
No accessories available, pits impractical.  
Bury a blue DEEP-I magnet at the base of the iron post.




Set 2 ins. below the ground, with cap mkd. as shown  
No accessories available, pits impractical.  
Bury an orange DEEP-I magnet at the base of the iron post.




Set 26 ins. in the ground, with cap mkd. as shown  
Dig pits, 18 x 18 x 12 ins., on line, NE and NW, 3 ft. dist.  
Deposit brown broken glass at the base of post.




Set flush with the ground, with cap mkd. as shown, from which  
The NE cor. of a blue plywood house, 16 ft., bears S. 5° E., 39.8 ft. dist., long side extends S. 14° E.  
Pits impractical.  
Deposit brown broken glass at the base of post.



Recovered an iron pipe, 3 ins. diam., loosely set, projecting 13 ins. above ground, with a screw on iron cap, with marks WC S1795 on the E face and MC on the W face, from which the original accessory  
An overgrown pit, 24 x 24 x 12 ins., bears E, 8 ft. dist.  
At the corner point  
Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 27 ins. in the ground, with brass cap mkd. as shown, from which  
The NE cor. of a blue plywood house, 10 x 24 ft., bears S. 8 1/2° E., 30.0 ft. dist., long side extends S. 18° E.  
Deposit the original iron post, inverted and alongside the stainless steel post.




Set flush with the ground, with cap mkd. as shown  
No accessories taken, pits impractical.  
Bury a silver DEEP-I magnet at the base of the iron post.




Set 5 ins. below the ground, with cap mkd. as shown  
No accessories available, pits impractical.  
Deposit brown broken glass at the base of post.




Set 23 ins. in the ground, with cap mkd. as shown, from which  
The SW cor. of a blue plywood house, 12 x 16 ft., bears N. 61 1/2° E., 126.5 ft. dist., long side extends N. 14° W.  
The NW cor. of a blue plywood house, 10 x 24 ft., bears S. 54° E., 157.7 ft. dist., long side extends S. 18° E.  
Pits impractical.  
Deposit brown broken glass at the base of post.




Recovered a galvanized iron pipe, 2 1/2 ins. diam., firmly set, projecting 4 ins. above ground, with no cap, from which the original accessories  
Two pits, 24 x 24 x 12 ins., bears S. and W., 6 ft. dist.  
At the corner point  
Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd. as shown  
Deposit the iron post, inverted and alongside the stainless steel post and rehabilitate pits.




Set 1 in. below the ground, with cap mkd. as shown  
No accessories available, pits impractical.  
Deposit brown broken glass at the base of post.




Set 27 ins. in the ground, with cap mkd. as shown  
Dig pits, 18 x 18 x 12 ins., on line, NE and SE, 1.5 ft. dist.  
Deposit brown broken glass at the base of post.




Set 25 ins. in the ground, with cap mkd. as shown, from which  
The NW cor. of a blue plywood house, 12 x 16 ft., bears S. 80° E., 124.7 ft. dist., long side extends S. 14° E.  
Pits impractical.  
Deposit brown broken glass at the base of post.




Recovered an iron post, 3 ins. diam., firmly imbedded in concrete, flush with the ground, with brass cap mkd. as shown  
The accessories were not recovered.




Set 3 ins. below the ground, with cap mkd. as shown  
No accessories available, pits impractical.  
Deposit brown broken glass at the base of post.




Set 27 ins. in the ground, with cap mkd. as shown  
Dig pits, 18 x 18 x 12 ins., on line, SW and NW, 3 ft. dist.  
Bury a silver DEEP-I magnet at the base of the iron post.




Set 27 ins. in the ground, with cap mkd. as shown  
No accessories available, pits impractical.  
Bury a pink DEEP-I magnet at the base of the iron post.




Recovered an iron post, 3 ins. diam., firmly imbedded in concrete, flush with the ground, with brass cap mkd. as shown  
The accessories were not recovered.




Set 24 ins. in the ground, with cap mkd. as shown  
No accessories available, pits impractical.  
Deposit brown broken glass at the base of post.



Set 25 ins. in the ground, with cap mkd. as shown, from which  
The SW cor. of a corrugated alum. shed, 10.6 x 15 ft., bears N. 5° W., 7.1 ft. dist., long side extends N. 10° W.  
Pits impractical.  
Bury a blue DEEP-I magnet at the base of the iron post.



Set 27 ins. in the ground, with cap mkd. as shown  
No accessories available, pits impractical.  
Bury a blue DEEP-I magnet at the base of the iron post.




Set 5 ins. below the ground, with cap mkd. as shown  
Pits impractical, cor. falls in a gravel turn-around area of the airstrip.  
Bury a silver DEEP-I magnet at the base of the iron post.

92-13  
RECORDED - FILED 95  
BRISTOL Bay DIST.  
DATE 5-12-92  
10:45 A.  
FILED  
Submitted by (BLM)  
Address 222 W 7th #13  
ANCH. AK. 99513


ALASKA NATIVE CLAIMS SETTLEMENT ACT  
(ANCSA) SECTION 14(c) LOTS 1 THROUGH 47  
(P.L. 92-203, 85 STAT. 688, 702, 703)  
CHOGGIUNG, LIMITED

AT  
EKUK, ALASKA


REFERENCE SHOULD BE MADE  
TO SHEET NO. 1  
FOR SURVEY INFORMATION




Set flush with the ground, with cap mkd. as shown.  
No accessories available, pits impractical.  
Bury a clear DEEP-I magnet at the base of the iron post.




Drive an alum. rod, 9 ft. long, flush with the ground, with cap mkd. as shown.  
No accessories available, pits impractical.  
Bury a clear DEEP-I magnet alongside the rod.  
Unable to monument true cor. due to unstable ground conditions.




Set 8 ins. below the ground, with cap mkd. as shown.  
No accessories available, pits impractical.  
Bury a clear DEEP-I magnet at the base of the iron post.




Drive an alum. rod, 9 ft. long, flush with the ground, with cap mkd. as shown.  
No accessories available, pits impractical.  
Bury a clear DEEP-I magnet alongside the rod.




Drive an alum. rod, 9 ft. long, flush with the ground, with cap mkd. as shown.  
No accessories available, pits impractical.  
Bury a clear DEEP-I magnet alongside the rod.




Set flush with the ground, with cap mkd. as shown, from which  
The most southerly cor. of a T-shaped bunkhouse, bears N. 26° W., 33.7 ft. dist.  
From the most southerly cor., the sides of this building extend N. 46° W., 99.8 ft., S. 44° W., 13 ft., N. 46° W., 30.3 ft., N. 44° E., 100.3 ft., S. 46° E., 30.3 ft., S. 44° W., 56 ft., S. 46° E., 99.8 ft., S. 44° W., 30 ft. to the point of beginning.  
The most westerly cor. of a utility shed, 8 x 16 ft., bears N. 81° W., 111.7 ft. dist., long side extends N. 44° W.  
Pits impractical.  
Bury a clear DEEP-I magnet at the base of the iron post.



Recovered on iron pipe, 3 ins. diam., firmly set, projecting 3 ins. above ground, with a screw on iron cap, with marks S2713 on the E face and COR B WC on the W face.  
Original pits not visible.



Recovered a brass tablet, 3 1/4 ins. diam., firmly imbedded in concrete, flush with the ground, with brass cap mkd. as shown.  
The original radio towers and water tank used as bearing objects have been relocated.





Recovered a galvanized iron post, 3 ins. diam., firmly set, projecting 18 ins. above ground, with a screw on cap, and mkd. COR I WC S2713 on the north face and S3005 C4 on the south face. This monument appears to have been relocated to the true cor. position by persons unknown and is accepted as a faithful determination of the true cor.  
At the cor. point  
Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 27 ins. in the ground., with brass cap mkd. as shown  
Deposit the iron post, inverted, and a clear DEEP-I magnet alongside the post.

MEANDERS


Along a well-defined bank, 2 to 3 ft. high, along the line of mean high tide.

1. N. 49° 03' E. 31.23 Ft.
2. N. 82° 14' E. 70.92 Ft.
3. N. 50° 25' W. 41.64 Ft.
4. N. 7° 11' W. 148.40 Ft.
5. N. 14° 42' E. 59.61 Ft.
6. N. 26° 59' E. 31.63 Ft.



LEGEND

- an iron post, 2 1/2" diam., 28" long, with brass cap.
- an iron rebar, 5/8 in. diam., with alum. cap mkd. EKUK 1990 and appropriate cor. delineation.
- recovered B.L.M. monument.
- ⊗ an alum. sectional rod, 3/4 in. diam., with alum. cap



92-13  
RECORDED - FILED 95  
BRISTOL BAY DIST.  
DATE 5/12 1992  
TIME 10:45 A.M.  
Requested by (BLM)  
Address 222 W 7th St  
ANCH. AK. 99513

ALASKA NATIVE CLAIMS SETTLEMENT ACT  
(ANCSA) SECTION 14(c) LOTS 1 THROUGH 47  
(P.L. 92-203, 85 STAT. 688, 702, 703)  
CHOGGIUNG, LIMITED


AT  
EKUK, ALASKA

REFERENCE SHOULD BE MADE  
TO SHEET NO. 1  
FOR SURVEY INFORMATION

JJ


Recovered an iron pipe, 3 ins. diam., firmly set, projecting 12 ins. above ground, with a screw on iron cap, with marks S769 on the E face.  
Original pits not visible.

KK




Set 27 ins. in the ground, with cap mkd. as shown  
Dig pits, 18 x 18 x 12 ins. on line, N and NE, 3 ft. dist.  
Bury a clear DEEP-I magnet at the base of the iron post.

LL




Set 27 ins. in the ground, with cap mkd. as shown  
Dig pits, 18 x 18 x 12 ins. on line, SW, 3 and 6 ft. dist.  
Bury a clear DEEP-I magnet at the base of the iron post.  
Unable to monument true cor., falls in small pond.

MM




Drive an alum. rod, 9 ft. long, flush with the ground, with cap mkd. as shown  
No accessories available, pits impractical.  
Bury a clear DEEP-I magnet at the base of the iron post.  
Unable to monument true cor., falls in small pond.

NN



Drive an alum. rod, 12 ft. long, 11.8 ft. in the ground, with cap mkd. as shown  
No accessories available, pits impractical.  
Bury a clear DEEP-I magnet alongside the alum. rod, 12 ins. below ground.  
Unable to monument true cor., falls in small pond.

OO




Recovered an iron pipe, 3 ins. diam., loosely set, projecting 36 ins. above ground, with a screw on iron cap, with marks AS S769 COR 4 on the E face, from which the original accessory  
An overgrown pit, 36 x 36 x 12 ins., bears S, 6 ft. dist.  
At the corner point  
Drive an alum. rod, 9 ft. long, 8.5 ft. in the ground, with cap mkd. as shown  
Deposit the iron post, inverted, and a clear DEEP-I magnet alongside the alum. rod, 12 ins. below ground, and rehabilitate pit.

LEGEND

- an iron post, 2 1/2" diam., 28" long, with brass cap.
- recovered B.L.M. monument.
- ⊗ an alum. sectional rod, 3/4 in. diam., with alum. cap


92-13

RECORDED - FILED 95  
BRISTOL BAY EC. DIST.  
DATE 5/12 1992  
TIME 10:45 A.M.  
Requested by (B.L.M.)  
Address 222 W. 7th #73  
ANCH. AK. 99513



U.S. SURVEY NO. 1795


U.S. SURVEY NO. 769




ALASKA NATIVE CLAIMS SETTLEMENT ACT  
(ANCSA) SECTION 14(c) LOTS 1 THROUGH 47  
(P.L. 92-203, 85 STAT. 688, 702, 703)  
CHOGGIUNG, LIMITED

AT  
EKUK, ALASKA


REFERENCE SHOULD BE MADE  
TO SHEET NO. 1  
FOR SURVEY INFORMATION




Set flush with the ground, with cap mkd. as shown  
No accessories available, pits impractical.  
Bury a clear DEEP-1 magnet at the base of the iron post.




Set 27 ins. in the ground, with cap mkd. as shown  
No accessories available, pits impractical.  
Bury a clear DEEP-1 magnet at the base of the iron post.




Recovered an iron post, 2 1/2 ins. diam., firmly set, projecting 5 ins. above ground, with brass cap mkd. as shown




Set flush with the ground, with cap mkd. as shown  
Dig pits, 18 x 18 x 12 ins., on line, SE, 3 and 6 ft. dist.  
Bury a clear DEEP-1 magnet at the base of the iron post.  
Unable to monument true cor., falls in small lake.



Recovered an iron post, 2 1/2 ins. diam., firmly set, projecting 1 in. above ground, with brass cap mkd. as shown




Mean Magnetic Declination 20° E.



LEGEND

- an iron post, 2 1/2" diam., 28" long, with brass cap.
- an iron rebar, 5/8 in. diam., with alum. cap mkd. EKUK 1990 and appropriate cor. delineation.
- recovered B.L.M. monument.




92-13



RECORDED - FILED 95  
BRISTOL BAY REC DIST  
DATE 5/12 1972  
TIME 10:45 A.M.  
Recorded by (BLM)  
Address 225 W. 7th #73  
ANCH. AK. 99513

ALASKA NATIVE CLAIMS SETTLEMENT ACT (ANCSA) SECTION 14(c) LOTS 1 THROUGH 47 (P.L. 92-203, 85 STAT. 688, 702, 703) CHOGGIUNG, LIMITED AT EKUK, ALASKA



REFERENCE SHOULD BE MADE TO SHEET NO. 1, 9, AND 10 FOR SURVEY INFORMATION



DETAIL A



Mean Magnetic Declination 20° E.



LEGEND

- an iron post, 2 1/2" diam., 28" long, with brass cap.
■ an iron rebar, 5/8 in. diam., with alum. cap mkd. EKUK 1990 and appropriate cor. delineation.
○ recovered B.L.M. monument.
□ an iron post, 2 1/2" diam., 28" long, with brass cap.

U.S. SURVEY NO. 862

MAIN STREET EAST R.O.W. CURVE

Delta = 31° 15' 04"
R = 195.00
LC = S. 57° 22' E. 105.05

MAIN STREET EAST R.O.W. CURVE

Delta = 59° 30' 16"
R = 80.00
LC = S. 43° 15' E. 79.40

MAIN STREET EAST R.O.W. CURVE

Delta = 45° 44' 53"
R = 65.00
LC = S. 36° 23' E. 50.53

MAIN STREET WEST R.O.W. CURVE

Delta = 31° 15' 04"
R = 205.00
LC = S. 57° 22' E. 115.82

MAIN STREET CENTERLINE CURVE

Delta = 31° 15' 04"
R = 205.00
LC = S. 57° 22' E. 110.43

MAIN STREET WEST R.O.W. CURVE

Delta = 59° 30' 16"
R = 60.00
LC = S. 43° 15' E. 59.55

MAIN STREET CENTERLINE CURVE

Delta = 59° 30' 16"
R = 70.00
LC = S. 43° 15' E. 69.48

MAIN STREET WEST R.O.W. CURVE

Delta = 45° 44' 53"
R = 85.00
LC = S. 36° 23' E. 66.08

MAIN STREET CENTERLINE CURVE


Delta = 59° 30' 16"
R = 75.00
LC = S. 36° 23' E. 58.31

92-13
RECORDED - FILE # 95
ARISTO L. AM... DIST.
DATE 5/12 1992
TIME 10:45 A.M.
Map made by (B.L.M.)
Address 222 W. 7th #13
ANCH. AK. 97513


ALASKA NATIVE CLAIMS SETTLEMENT ACT  
(ANCSA) SECTION 14(c) LOTS 1 THROUGH 47  
(P.L. 92-203, 85 STAT. 688, 702, 703)  
CHOGGIUNG, LIMITED

AT  
EKUK, ALASKA


REFERENCE SHOULD BE MADE  
TO SHEET NO. 1  
FOR SURVEY INFORMATION




Set flush with the ground, with cap mkd. as shown.  
No accessories taken, pits impractical.  
Bury a clear DEEP-I magnet at the base of the iron post.




Set 2 ins. below the ground, with cap mkd. as shown.  
No accessories taken, pits impractical.  
Bury a clear DEEP-I magnet at the base of the iron post.




Set 9 ins. below the ground, with cap mkd. as shown.  
No accessories available, pits impractical.  
Bury a clear DEEP-I magnet at the base of the iron post.




Set 27 ins. in the ground, with cap mkd. as shown, from which  
The most westerly cor. of a tarpaper covered house, 12 x 24 ft., bears N. 83° W., 22.5 ft. dist., long side extends N. 57° E.  
The NE cor. of a plywood house, 14 x 20 ft., bears S. 7 1/4° E., 28.6 ft. dist., long side extends S. 65° W.  
Pits impractical.  
Bury a clear DEEP-I magnet at the base of the iron post.




Set 27 ins. in the ground, with cap mkd. as shown, from which  
The NW cor. of a plywood house, 12 x 14 ft., bears S. 65° E., 67.5 ft. dist., long side extends S. 57° W.  
Pits impractical.  
Bury a clear DEEP-I magnet at the base of the iron post.




Set flush with the ground, with cap mkd. as shown.  
No accessories available, pits impractical.  
Bury a clear DEEP-I magnet at the base of the iron post.




Set 26 ins. in the ground, with cap mkd. as shown, from which  
The SW cor. of an alum. smokehouse, 7 x 9 ft., bears North, 93.1 ft. dist., long side extends West.  
The SW cor. of a tarpaper covered plywood house, 9.8 x 26.5 ft., bears S. 64° E., 19.8 ft. dist., long side extends S. 26° E.  
Pits impractical.  
Bury a clear DEEP-I magnet at the base of the iron post.




Set 27 ins. in the ground, with cap mkd. as shown.  
No accessories taken, pits impractical.  
Bury a clear DEEP-I magnet at the base of the iron post.




Set flush with the ground, with cap mkd. as shown.  
No accessories available, pits impractical.  
Bury a clear DEEP-I magnet at the base of the iron post.




Point for W.C.M.C. 2, reestablished at record angle and dist. from line 4-1, S1703. There is no remaining evidence of the original cor. position.  
Set flush with the ground, with cap mkd. as shown.  
No accessories available, pits impractical.  
Bury a clear DEEP-I magnet at the base of the iron post.




Set 28 ins. in the ground, with cap mkd. as shown.  
No accessories available, pits impractical.  
Bury a clear DEEP-I magnet at the base of the iron post.




Set flush with the ground, with cap mkd. as shown, from which  
The NW cor. of a plywood house, 14.3 x 25 ft., bears N. 47° W., 21.0 ft. dist., long side extends S. 47° W.  
Pits impractical.  
Bury a clear DEEP-I magnet at the base of the iron post.




Set 27 ins. in the ground, with cap mkd. as shown.  
No accessories taken, pits impractical.  
Bury a clear DEEP-I magnet at the base of the iron post.




Recovered an iron pipe, 3 ins. diam., loosely set, projecting 9 ins. above ground, with a screw on iron cap.  
At the corner point  
Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd. as shown.  
Deposit the iron post, inverted and alongside the stainless steel post.  
Bury a clear DEEP-I magnet at the base of the iron post.



Set flush with the ground, with cap mkd. as shown.  
No accessories available, pits impractical.  
Bury a clear DEEP-I magnet at the base of the iron post.




Set flush with the ground, with cap mkd. as shown, from which  
The NW cor. of a plywood house, 14.3 x 25 ft., bears S. 26° E., 41.5 ft. dist., long side extends S. 47° W.  
Pits impractical.  
Bury a clear DEEP-I magnet at the base of the iron post.




Set 26 ins. in the ground, with cap mkd. as shown.  
Dig pits, 18 x 18 x 18 ins., on line, NE and NW, 3 ft. dist.  
Bury a clear DEEP-I magnet at the base of the iron post.




Recovered an iron pipe, 3 ins. diam., firmly set, flush with the ground, with an iron rebar driven inside, with plastic cap mkd. PT TECH LS 7200, from which  
Pits, 24 x 24 x 18 ins., bears N and W, 5 ft. dist.  
A pit, 24 x 24 x 12 ins., bears S, 5 ft. dist.



Set 9 ins. below the ground, with cap mkd. as shown.  
No accessories taken, pits impractical.  
Bury a clear DEEP-I magnet at the base of the iron post.



Set flush with the ground, with cap mkd. as shown, from which  
The SW cor. of a tarpaper covered house, 9.8 x 26.5 ft., bears N. 48° E., 49.4 ft. dist., long side extends S. 26° E.  
The SW cor. of a plywood house, 12 x 14 ft., bears N. 29° E., 29.8 ft. dist., long side extends N. 57° E.  
Pits impractical.  
Bury a clear DEEP-I magnet at the base of the iron post.




Set flush with the ground, with cap mkd. as shown, from which  
The most southerly cor. of an L-shaped plywood house, 21.5 x 24 ft., bears N. 13° E., 66.5 ft. dist., long side extends N. 24° W.  
Pits impractical.  
Bury a clear DEEP-I magnet at the base of the iron post.

92-13


RECORDED - FILED	95
BRISTOL BAY REC. DIST	
DATE	5/12 1992
TIME	10:45 A.M.
Recorded by	(BLM)
Address	222 W 7th #13
	ANCH. AK. 99513

ALASKA NATIVE CLAIMS SETTLEMENT ACT  
(ANCSA) SECTION 14(c) LOTS 1 THROUGH 47  
(P.L. 92-203, 85 STAT. 688, 702, 703)  
CHOGGIUNG, LIMITED  
AT  
EKUK, ALASKA


REFERENCE SHOULD BE MADE  
TO SHEET NO. 1  
FOR SURVEY INFORMATION




Set 3 ins. below the ground, with cap mkd. as shown  
No accessories available, pits impractical.  
Bury a clear DEEP-I magnet at the base of the iron post.




Set flush with the ground, with cap mkd. as shown, from which  
The most northerly cor. of a tarpaper covered plywood house, 12 x 14 ft., bears N. 69 1/2° E., 54.8 ft. dist., long side extends S. 58° W.  
Pits impractical.  
Bury a clear DEEP-I magnet at the base of the iron post.




Set flush with the ground, with cap mkd. as shown  
No accessories available, pits impractical.  
Bury a clear DEEP-I magnet at the base of the iron post.




Set 7 ins. below the ground, with cap mkd. as shown  
No accessories available, pits impractical.  
Bury a clear DEEP-I magnet at the base of the iron post.




Set flush with the ground, with cap mkd. as shown  
No accessories available, pits impractical.  
Bury a clear DEEP-I magnet at the base of the iron post.




Set flush with the ground, with cap mkd. as shown  
No accessories available, pits impractical.  
Bury a clear DEEP-I magnet at the base of the iron post.




Set 2 ins. below the ground, with cap mkd. as shown  
No accessories available, pits impractical.  
Bury a clear DEEP-I magnet at the base of the iron post.




Set flush with the ground, with cap mkd. as shown  
No accessories available, pits impractical.  
Bury a clear DEEP-I magnet at the base of the iron post.




Set flush with the ground, with cap mkd. as shown  
No accessories available, pits impractical.  
Bury a clear DEEP-I magnet at the base of the iron post.




Set 27 ins. in the ground, with cap mkd. as shown  
No accessories available, pits impractical.  
Bury a clear DEEP-I magnet at the base of the iron post.




Recovered an iron post, 2 1/2 ins. diam., firmly set, 2 ins. below the ground, with brass cap mkd. as shown




Set flush with the ground, with cap mkd. as shown, from which  
The most southerly cor. of a plywood house, 12 x 15 ft., bears N. 58° W., 51.9 ft. dist., long side extends N. 36° E.  
Pits impractical.  
Bury a clear DEEP-I magnet at the base of the iron post.




Set 26 ins. in the ground, with cap mkd. as shown  
No accessories available, pits impractical.  
Bury a clear DEEP-I magnet at the base of the iron post.




Set 6 ins. below the ground, with cap mkd. as shown  
No accessories available, pits impractical.  
Bury a clear DEEP-I magnet at the base of the iron post.




Set 4 ins. below the ground, with cap mkd. as shown, from which  
The NW cor. of a plywood house, 16 x 20 ft., bears S. 53° E., 51.0 ft. dist., long side extends N. 52° E.  
Pits impractical.  
Bury a clear DEEP-I magnet at the base of the iron post.




Set flush with the ground, with cap mkd. as shown  
No accessories available, pits impractical.  
Bury a clear DEEP-I magnet at the base of the iron post.




Set flush with the ground, with cap mkd. as shown  
No accessories available, pits impractical.  
Bury a clear DEEP-I magnet at the base of the iron post.  
Unable to monument true cor. due to unstable ground conditions.



Set flush with the ground, with cap mkd. as shown, from which  
The most northerly cor. of a tarpaper covered plywood house, 12 x 14 ft., bears S. 6° E., 45.4 ft. dist., long side extends S. 58° W.  
Pits impractical.  
Bury a clear DEEP-I magnet at the base of the iron post.



Set 27 ins. in the ground, with cap mkd. as shown  
No accessories available, pits impractical.  
Bury a clear DEEP-I magnet at the base of the iron post.




Set flush with the ground, with cap mkd. as shown  
No accessories available, pits impractical.  
Bury a clear DEEP-I magnet at the base of the iron post.  
Unable to monument true cor. due to unstable ground conditions.

92-13


RECORDED - FILED	95
BASTON BAY C. DIST.	
DATE	5/12 19 92
TIME	10:45 A.M.
By	(BLM)
Address	222 W. 7th
	ANCH. AK. 97513

ALASKA NATIVE CLAIMS SETTLEMENT ACT  
(ANCSA) SECTION 14(c) LOTS I THROUGH 47  
(P.L. 92-203, 85 STAT. 688, 702, 703)  
CHOGGIUNG, LIMITED  
AT  
EKUK, ALASKA


REFERENCE SHOULD BE MADE  
TO SHEET NO. I  
FOR SURVEY INFORMATION




Set 27 ins. in the ground, with cap mkd. as shown, from which  
The SE cor. of a plywood house, 12 x 16 ft., bears N. 37 1/4° E., 39.3 ft. dist., long side extends N. 55° W.  
The SE cor. of a wood storage shed, 10 x 12 ft., bears N. 15° W., 29.7 ft. dist., long side extends N. 55° W.  
Pits impractical.  
Bury a clear DEEP-1 magnet at the base of the iron post.




Set 27 ins. in the ground, with cap mkd. as shown, from which  
The SE cor. of a wood storage shed, 10 x 12 ft., bears N. 26° W., 48.5 ft. dist., long side extends N. 55° W.  
Pits impractical.  
Bury a clear DEEP-1 magnet at the base of the iron post.




Set flush with the ground, with cap mkd. as shown, from which  
The most southerly cor. of a tarpaper covered house, 12 x 13.5 ft., bears N. 86° E., 27.3 ft. dist., long side extends N. 48° W.  
The SE cor. of a plywood house, 12 x 16 ft., bears N. 4 1/2° W., 43.2 ft. dist., long side extends N. 55° W.  
Pits impractical.  
Bury a clear DEEP-1 magnet at the base of the iron post.




Set 27 ins. in the ground, with cap mkd. as shown, from which  
The SW cor. of a plywood house, 12 x 16 ft., bears S. 37° E., 9.4 ft. dist., long side extends S. 55° E.  
The NE cor. of a wood storage shed, 10 x 12 ft., bears S. 30° W., 14.6 ft. dist., long side extends N. 55° W.  
Pits impractical.  
Bury a clear DEEP-1 magnet at the base of the iron post.




Set flush with the ground, with cap mkd. as shown, from which  
The SE cor. of a wood storage shed, 10 x 10 ft., bears N. 86° W., 16.9 ft. dist., one side extends N. 58° W.  
Pits impractical.  
Bury a blue DEEP-1 magnet at the base of the iron post.




Set 27 ins. in the ground, with cap mkd. as shown.  
No accessories taken, pits impractical.  
Bury a clear DEEP-1 magnet at the base of the iron post.




Drive an alum. rod, 12 ft. long, flush with the ground, with cap mkd. as shown  
No accessories taken, pits impractical.  
Bury a clear DEEP-1 magnet alongside the alum. rod, 12 ins. below the ground.




Set 27 ins. in the ground, with cap mkd. as shown  
No accessories taken, pits impractical.  
Bury a blue DEEP-1 magnet at the base of the iron post.




Set 26 ins. in the ground, with cap mkd. as shown  
No accessories taken, pits impractical.  
Bury a clear DEEP-1 magnet at the base of the iron post.




Set flush with the ground, with cap mkd. as shown, from which  
The NW cor. of a wood storage shed, 9.5 x 11.5 ft., bears S. 30 1/2° W., 23.9 ft. dist., long side extends S. 45° W.  
The SW cor. of a plywood house, 12.3 x 12.4 ft., bears N. 19 1/2° W., 49.7 ft. dist., long side extends N. 21° E.  
Pits impractical.  
Bury a clear DEEP-1 magnet at the base of the iron post.




Set flush with the ground, with cap mkd. as shown, from which  
The SW cor. of a plywood house, 12.3 x 12.4 ft., bears S. 54° E., 23.4 ft. dist., long side extends N. 21° E.  
An alum. post, 2 1/2 ins. diam., firmly set, projecting 2 ins. above ground, bears S. 56° 48' W., 64.10 ft. dist., with alum. cap mkd. 1981.  
Pits impractical.  
Bury a clear DEEP-1 magnet at the base of the iron post.




Set 27 ins. in the ground, with cap mkd. as shown  
No accessories taken, pits impractical.  
Bury a clear DEEP-1 magnet at the base of the iron post.




Set 25 ins. in the ground, with cap mkd. as shown, from which  
The SE cor. of a green plywood house, 10 x 12 ft., bears N. 36° W., 61.1 ft. dist., long side extends S. 67° W.  
Pits impractical.  
Bury a blue DEEP-1 magnet at the base of the iron post.




Recovered an iron pipe, 2 1/2 ins. diam., firmly set, projecting 1 in. above ground, with brass cap mkd. as shown, from which  
Pits, 18 x 18 x 12 ins., bear North, 3 ft. and 6 ft. dist.



W.C.M.C. I  
U.S. SURVEY  
NO. 9990



NUSHAGAK BAY



LEGEND


- an iron post, 2 1/2" diam., 28" long, with brass cap.
- recovered B.L.M. monument.
- ⊗ an alum. sectional rod, 3/4 in. diam., with alum. cap.

92-13

RECORDED - FILED 95  
BASEL BY REC. DIST.  
DATE 5/12 1992  
TIME 10:45 A.M.  
Revised by (BLM)  
Address 222 W 7th #73  
ANCH. AK 99513

ALASKA NATIVE CLAIMS SETTLEMENT ACT  
(ANCSA) SECTION 14(c) LOTS 1 THROUGH 47  
(P.L. 92-203, 85 STAT. 688, 702, 703)  
CHOGGIUNG, LIMITED  
AT  
EKUK, ALASKA


REFERENCE SHOULD BE MADE  
TO SHEET NO. 1  
FOR SURVEY INFORMATION



Set flush with the ground, with cap mkd. as shown

Dig pits, 18 x 18 x 12 ins. on line, N and NW, 3 ft. dist.

Deposit 8, 16-penny nails at the base of the iron post.




Set 27 ins. in the ground, with cap mkd. as shown, from which

The NE cor. of a plywood house, 10.6 x 20 ft., bears S. 68° W., 83.4 ft. dist., long side extends S. 22° E.

Pits impractical.

Deposit 8, 16-penny nails at the base of the iron post.




Set flush with the ground, with cap mkd. as shown, from which

The NW cor. of a plywood house, 10.6 x 20 ft., bears S. 24° E., 44.7 ft. dist., long side extends S. 22° E.

Pits impractical.

Bury a clear DEEP-1 magnet at the base of the iron post.




Set flush with the ground, with cap mkd. as shown, from which

The SW cor. of a plywood house, 10.6 x 20 ft., bears N. 29 1/2° E., 48.2 ft. dist., long side extends N. 22° W.

Pits impractical.

Bury a clear DEEP-1 magnet at the base of the iron post.




Set flush with the ground, with cap mkd. as shown, from which

The SW cor. of a wood storage shed, 12 x 16 ft., bears N. 73° E., 20.9 ft. dist., long side extends N. 62° E.

Pits impractical.


Bury a clear DEEP-1 magnet at the base of the iron post.



Set flush with the ground, with cap mkd. as shown

No accessories taken, pits impractical.

Bury a clear DEEP-1 magnet at the base of the iron post.




Set 27 ins. in the ground, with cap mkd. as shown, from which

The SE cor. of a plywood house, 10 x 22 ft., bears S. 84 1/2° W., 52.5 ft. dist., long side extends N. 13° W.

Pits impractical.


Bury a clear DEEP-1 magnet at the base of the iron post.



NUSHAGAK BAY

LEGEND

● an iron post, 2 1/2" diam., 28" long, with brass cap.




92-13


RECORDED - FILE # 95  
BRISTOL BAY REC. DIST.  
DATE 5/12 1992  
TIME 10:45 A.M.  
Requested by (B.L.M.)  
address 222 W. 7th St  
ANCH. AK 99513

ALASKA NATIVE CLAIMS SETTLEMENT ACT  
(ANCSA) SECTION 14(c) LOTS 1 THROUGH 47  
(P.L. 92-203, 85 STAT. 688, 702, 703)  
CHOGGIUNG, LIMITED  
AT  
EKUK, ALASKA


REFERENCE SHOULD BE MADE  
TO SHEET NO. 1  
FOR SURVEY INFORMATION




Set 25 ins. in the ground, with cap mkd. as shown, from which  
The SW cor. of a plywood house, 20 x 24 ft., bears S. 88 1/2° E., 52.5 ft. dist., long side extends S. 70° E.  
Dig pit, 18 x 18 x 12 ins., on line, SE, 3 ft. dist.  
Bury a clear DEEP-I magnet at the base of the iron post.




Set 27 ins. in the ground, with cap mkd. as shown  
No accessories available, pits impractical.  
Bury a clear DEEP-I magnet at the base of the iron post.  
Unable to monument true cor. due to unstable ground conditions.




Set flush with the ground, with cap mkd. as shown  
Dig pit, 18 x 18 x 12 ins., on line, SE, 3 ft. dist.  
Bury a clear DEEP-I magnet at the base of the iron post.




Drive an alum. rod, 12 ft. long, flush with the ground, with cap mkd. as shown  
No accessories available, pits impractical.  
Bury a clear DEEP-I magnet alongside the alum. rod, 12 ins. below the ground.




Set flush with the ground, with cap mkd. as shown, from which  
The SW cor. of a plywood house, 20 x 24 ft., bears N. 70° W., 113.9 ft. dist., long side extends N. 47° W.  
The SW cor. of a plywood shed, 12 x 16 ft., bears N. 18° W., 47.0 ft. dist., long side extends N. 14° W.  
Pits impractical.  
Bury a clear DEEP-I magnet at the base of the iron post.




Recovered an alum. post, 2 1/2 ins. diam., firmly set, flush with the ground, with alum. cap mkd. as shown




Drive an alum. rod, 9 ft. long, flush with the ground, with cap mkd. as shown, from which  
The NW cor. of a black plywood garage, 16 x 24 ft., bears South, 99.6 ft. dist., long side extends S. 12° W.  
Pits impractical.  
Bury a clear DEEP-I magnet alongside the alum. rod, 12 ins. below the ground.



Drive an alum. rod, 9 ft. long, flush with the ground, with cap mkd. as shown  
No accessories available, pits impractical.  
Bury a clear DEEP-I magnet alongside the rod, 3/4 in. diam., 9 ft. in the ground.




Set flush with the ground, with cap mkd. as shown  
Dig pits, 18 x 18 x 12 ins., on line, NE and NW, 3 ft. dist.  
Bury a clear DEEP-I magnet at the base of the iron post.



NUSHAGAK BAY

LEGEND

- an iron post, 2 1/2" diam., 28" long, with brass cap.
- ⊠ recovered other monument as described
- ⊗ an alum. sectional rod, 3/4 in. diam., with alum. cap



92-13


RECORDED - FILED 95  
BRISTOL BAY REC DIST

DATE 5/12 1992  
TIME 10:45 A.M.  
Surveyed by (BLM)  
Address 222 W 7th #73  
ANCH. AK. 99513


ALASKA NATIVE CLAIMS SETTLEMENT ACT  
(ANCSA) SECTION 14(c) LOTS 1 THROUGH 47  
(P.L. 92-203, 85 STAT. 688, 702, 703)  
CHOGGIUNG, LIMITED

AT  
EKUK, ALASKA


REFERENCE SHOULD BE MADE  
TO SHEET NO. 1  
FOR SURVEY INFORMATION




Set flush with the ground, with cap mkd. as shown, from which  
The SE cor. of a plywood shed, 8 x 8 ft., bears N. 62° E., 20.5 ft. dist., long side extends N. 59° W.  
Pits impractical.  
Bury a clear DEEP-I magnet at the base of the iron post.




Set 27 ins. in the ground, with cap mkd. as shown  
Dig pit, 18 x 18 x 12 ins., on line, NW, 6 ft. dist.  
Bury a clear DEEP-I magnet at the base of the iron post.




Drive an alum. rod, 9 ft. long, flush with the ground, with cap mkd. as shown  
No accessories available, pits impractical.  
Bury a clear DEEP-I magnet alongside the alum. rod, 12 ins. below ground.




Drive an alum. rod, 9 ft. long, flush with the ground, with cap mkd. as shown, from which  
The NW cor. of a plywood house, 12 x 20 ft., bears S. 15° E., 57.2 ft. dist., long side extends S. 43° E.  
Pits impractical.  
Bury a clear DEEP-I magnet alongside the alum. rod, 12 ins. below ground.




Set flush with the ground, with cap mkd. as shown, from which  
The most westerly cor. of a plywood house, 12 x 22 ft., bears N. 39° E., 59.6 ft. dist., long side extends S. 22° E.  
Pits impractical.  
Bury a clear DEEP-I magnet at the base of the iron post.




Set 26 ins. in the ground, with cap mkd. as shown  
Dig pits, 18 x 18 x 12 ins., on line, SW and NW, 3 ft. dist.  
Bury a clear DEEP-I magnet at the base of the iron post.




Set flush with the ground, with cap mkd. as shown, from which  
The SE cor. of a plywood house, 12 x 20 ft., bears N. 3° W., 84.8 ft. dist., long side extends N. 43° W.  
The NE cor. of a plywood shed, 8 x 8 ft., bears N. 45 1/2° W., 91.0 ft. dist., one side extends N. 59° W.  
Pits impractical.  
Bury a clear DEEP-I magnet at the base of the iron post.




Set flush with the ground, with cap mkd. as shown  
No accessories available, pits impractical.  
Bury a clear DEEP-I magnet at the base of the iron post.




Set flush with the ground, with cap mkd. as shown  
No accessories available, pits impractical.  
Bury a clear DEEP-I magnet at the base of the iron post.





Set flush with the ground, with cap mkd. as shown  
No accessories available, pits impractical.  
Bury a clear DEEP-I magnet at the base of the iron post.



Drive an alum. rod, 12 ft. long, flush with the ground, with cap mkd. as shown  
No accessories available, pits impractical.  
Bury a clear DEEP-I magnet alongside the alum. rod, 12 ins. below ground.



Set 24 ins. in the ground, with cap mkd. as shown  
Dig pits, 18 x 18 x 12 ins., on line, NE and NW, 3 ft. dist.  
Bury a clear DEEP-I magnet at the base of the iron post.




NUSHAGAK BAY

NUSHAGAK BAY

LEGEND

- an iron post, 2 1/2" diam., 28" long, with brass cap.
- ⊗ an alum. sectional rod, 3/4 in. diam., with alum. cap



92-13

RECORDED - FILED 95

DATE 5/12 1992


TIME 10:45 A.M.

Requested by (BLM)


Address 222 W. 7th St. Anchorage, AK 99513

ALASKA NATIVE CLAIMS SETTLEMENT ACT  
(ANCSA) SECTION 14(c) LOTS 1 THROUGH 47  
(P.L. 92-203, 85 STAT. 688, 702, 703)  
CHOGGIUNG, LIMITED  
AT  
EKUK, ALASKA


REFERENCE SHOULD BE MADE  
TO SHEET NO. 1  
FOR SURVEY INFORMATION




Set flush with the ground, with cap mkd. as shown.  
No accessories available, pits impractical.  
Bury a clear DEEP-I magnet at the base of the iron post.



Drive an alum. rod, 12 ft. long, 11.9 ft. in the ground, with cap mkd. as shown.  
No accessories available, pits impractical.  
Bury a clear DEEP-I magnet alongside the alum. rod, 12 ins. below ground.





Set flush with the ground, with cap mkd. as shown.  
No accessories available, pits impractical.  
Bury a clear DEEP-I magnet at the base of the iron post.




LEGEND


- an iron post, 2 1/2" diam., 28" long, with brass cap.
- △ control monument, U.S.C. & G.S.
- ⊗ an alum. sectional rod, 3/4 in. diam., with alum. cap




Set flush with the ground, with cap mkd. as shown.  
No accessories available, pits impractical.  
Bury a clear DEEP-I magnet at the base of the iron post.




Drive an alum. rod, 12 ft. long, flush with the ground, with cap mkd. as shown.  
No accessories available, pits impractical.  
Bury a clear DEEP-I magnet alongside the alum. rod, 12 ins. below ground.




Drive an alum. rod, 9 ft. long, 3/4 in. diam., 9 ft. in the ground, with alum. cap mkd. as shown.  
No accessories available, pits impractical.  
Bury a clear DEEP-I magnet alongside the alum. rod.




Set flush with the ground, with cap mkd. as shown.  
No accessories available, pits impractical.  
Bury a clear DEEP-I magnet at the base of the iron post.




Set 2 ins. below the ground, with cap mkd. as shown.  
No accessories available, pits impractical.  
Bury a clear DEEP-I magnet at the base of the iron post.




Set flush with the ground, with cap mkd. as shown, from which.  
The SW cor. of a green plywood house, 20 x 26 ft., bears N. 8° W., 157.2 ft. dist., long side extends N. 9° W.  
Pits impractical.  
Bury a clear DEEP-I magnet at the base of the iron post.




Set 25 ins. in the ground, with cap mkd. as shown.  
No accessories available, pits impractical.  
Bury a clear DEEP-I magnet at the base of the iron post.



Set flush with the ground, with cap mkd. as shown, from which.  
The NE cor. of a plywood garage, 12.5 x 16 ft., bears S. 12° W., 34.2 ft. dist., long side extends South.  
Pits impractical.  
Bury a clear DEEP-I magnet at the base of the iron post.



Set flush with the ground, with cap mkd. as shown, from which.  
The NE cor. of a plywood garage, 12.5 x 16 ft., bears S. 63° E., 46.4 ft. dist., long side extends South.  
Pits impractical.  
Bury a clear DEEP-I magnet at the base of the iron post.



Recovered a galvanized iron post, 2 ins. diam., firmly set, projecting 1 in. above the ground with brass cap mkd. as shown.

92-13

RECORDED - FILED 95

Blisa Any REC. DIST.

DATE 5/12 1992

TIME 10:45 A.M.


Examined by (BLM)

Address 222 W. 74 #13


ANCH. AK. 99513

ALASKA NATIVE CLAIMS SETTLEMENT ACT  
(ANCSA) SECTION 14(c) LOTS 1 THROUGH 47  
(P.L. 92-203, 85 STAT. 688, 702, 703)  
CHOGGIUNG, LIMITED  
AT  
EKUK, ALASKA


REFERENCE SHOULD BE MADE  
TO SHEET NO. 1  
FOR SURVEY INFORMATION




Set flush with the ground, with cap mkd. as shown.  
No accessories available, pits impractical.  
Bury a clear DEEP-1 magnet at the base of the iron post.




Set flush with the ground, with cap mkd. as shown.  
No accessories available, pits impractical.  
Bury a clear DEEP-1 magnet at the base of the iron post.




Set 26 ins. in the ground, with cap mkd. as shown.  
No accessories available, pits impractical.  
Bury a clear DEEP-1 magnet at the base of the iron post.



Set flush with the ground, with cap mkd. as shown.  
No accessories available, pits impractical.  
Bury a clear DEEP-1 magnet at the base of the iron post.



Drive an alum. rod, 9 ft. long, 8.1 ft. in the ground, with cap mkd. as shown.  
No accessories available, pits impractical.  
Bury a clear DEEP-1 magnet alongside the alum. rod, 12 ins. below ground.



Set flush with the ground, with cap mkd. as shown.  
No accessories available, pits impractical.  
Bury a clear DEEP-1 magnet at the base of the iron post.






Set 27 ins. in the ground, with cap mkd. as shown.  
No accessories available, pits impractical.  
Bury a clear DEEP-1 magnet at the base of the iron post.



Set 1 in. below ground, with cap mkd. as shown.  
No accessories available, pits impractical.  
Bury a clear DEEP-1 magnet at the base of the iron post.



Set 26 ins. in the ground, with cap mkd. as shown.  
No accessories available, pits impractical.  
Bury a clear DEEP-1 magnet at the base of the iron post.



LEGEND

- an iron post, 2 1/2" diam., 28" long, with brass cap.
- ⊗ an alum. sectional rod, 3/4 in. diam., with alum. cap.

92-13

RECORDED - FILED 95-  
BRISTOL BAY REC. DIST.  
DATE 5/12 1992  
TIME 10:45 A.M.  
Submitted by (B.M.)  
Address 222 W. 7th St.  
ANCH. AK 99513