

TOWNSHIP 4 SOUTH RANGE 8 WEST

ALASKA NATIVE CLAIMS SETTLEMENT ACT (ANCSA) SECTION 14(c), LOTS 1A AND 1B, BLOCK 15, U.S. SURVEY No. 1127 P.L. 92-203 (85 STAT. 688, 702, 703) TOGHOTTHELE CORPORATION AT NENANA, ALASKA

This plat contains the entire survey record.

U.S. Survey No. 1127 was surveyed by J. Frank Warner, U.S. Surveyor, in 1916.

A Supplemental plat of U.S. Survey No. 1127 was accepted in 1987.

A Record of Survey located within U.S Survey No. 1127 and U.S. Survey No. 1503, Township 4 South, Range 8 West, Fairbanks Meridian, Alaska, was surveyed by Patrick Kalen, Registered Alaska Land Surveyor No. 4603-S, in 1984 through 1986 and filed in the Nenana Recording District as Plat No. 87-5RS.

This survey was executed by Eric Stahlke, Registered Alaska Land Surveyor No. LS-6945, for Tanana Chiefs Conference, August 2 through August 20, 2010, in accordance with the principles set forth in the Manual of Surveying Instructions, 2009, Special Instructions dated December 23, 2009 and approved January 21, 2010, the Toghotthele Corporation ANCSA 14(c) Map of Boundaries accepted July 22, 2009, Contract No. L10AV20001, dated May 27, 2010 and Notice to Proceed dated June 4, 2010.

Field assistants were:

- Todd A. Jantzi, Land Surveyor
Troy M. Hicks, Land Surveyor
Alvin W. Dayton, Survey Technician
Jody R. Moses, Survey Technician

Area: 0.86 Acres

The direction of all lines shown on this plat, including ties, are reported as mean bearings with reference to the true meridian.

The azimuth was obtained from the Global Positioning System, using static relative positioning techniques and refers to the true meridian.

The mean magnetic declination was observed during the execution of this survey.

This survey is situated in Nenana, Alaska, within Section 14, Township 4 South, Range 8 West, Fairbanks Meridian.


The topography consists generally of level ground, with an elevation of approximately 350 ft. above sea level. This survey lies within a residential neighborhood in the City of Nenana.

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT Anchorage, Alaska

The survey represented by this plat, sheets 1-2, having been properly executed and examined, is hereby accepted for having fulfilled the requirements of Section 14(c) of the Alaska Native Claims Settlement Act.

For the Director MARCH 7, 2012 Date

Chief Cadastral Surveyor for Alaska




The geographic position of the northwest corner of Lot 1A, Block 15, U.S. Survey No. 1127, in NAD83 (CORS96), epoch 2003.00, determined by GPS observations, utilizing the National Geodetic Survey Online Positioning User Service (OPUS), to a Network Accuracy, with a maximum peak-to-peak separation for each component of the computed position, of less than 0.05 meter, semi-major axis 95% error ellipse, as defined in Standards for the Positional Accuracy of Cadastral Surveys When Using Global Navigational Satellite Systems (GNSS), dated February 23, 2009, is:

Latitude: 64° 33' 44.459" North NAD 83
Longitude: 149° 05' 37.256" West

The geographic position of the northwest corner of Lot 1A, Block 15, U.S. Survey No. 1127, in NAD 27, as determined from NADCON is:

Latitude: 64° 33' 46.13" North NAD 27
Longitude: 149° 05' 28.63" West



I, ERIC STAHLKE, Registered Alaska Land Surveyor No. LS-6945, for Tanana Chiefs Conference, HEREBY CERTIFY upon honor that I have executed the ANCSA 14(c) Survey depicted on this plat, sheets 1-2, in conformity with the Special Instructions approved January 21, 2010, Contract No. L10AV20001, awarded May 27, 2010, the principles of survey described in the Manual of Surveying Instructions (2009), and in the specific manner described on this plat.

FEB. 16, 2012 Date

Registered Land Surveyor



I hereby certify that Lots 1A and 1B, Block 15, U.S. Survey No. 1127, created by this plat of survey, on sheets 1-2, are on land conveyed to Toghotthele Corporation, by Patent No. 50-94-0042, issued by the United States of America; said parcels also fulfill all entitlements under the provisions of ANCSA 14(c) as requested by Toghotthele Corporation ANCSA 14(c) Map of Boundaries accepted July 22, 2009.

2/28/12 Date

President, Toghotthele Corporation

Nenana 2012-4

MONUMENTS RECOVERED

(A) Iron post, buried 7 ins. below the surface, firmly set, with brass cap mkd. as shown, encased in a 7 1/2 in. diam., capped iron casing, set flush with road surface, perpetuated by persons unknown, and accepted as the best available evidence of the original corner location.



(B) Alum. post, 3 ins. diam., set in concrete, buried 4 ins. below the surface, with alum. cap mkd. as shown, encased in a 7 1/2 in. diam., capped iron casing, set flush with road surface, perpetuated by Patrick Kalen, Registered Land Surveyor No. LS-4603, as described in Record of Survey, Plat 87-5 RS, Nenana Recording District, and accepted as a careful and faithful perpetuation of the original corner.



(C) Alum. post, 3 ins. diam., set in concrete, buried 3 ins. below the surface, with alum. cap mkd. as shown, encased in a 7 1/2 in. diam., capped iron casing, set flush with road surface, perpetuated by Patrick Kalen, Registered Land Surveyor No. LS-4603, as described in Record of Survey, Plat 87-5 RS, Nenana Recording District, and accepted as a careful and faithful perpetuation of the original corner.



(D) Alum. post, 3 ins. diam., set in concrete, buried 3 ins. below the surface, with alum. cap mkd. as shown, encased in a 7 1/2 in. diam., capped iron casing, set flush with road surface, perpetuated by Patrick Kalen, Registered Land Surveyor No. LS-4603, as described in Record of Survey, Plat 87-5 RS, Nenana Recording District, and accepted as a careful and faithful perpetuation of the original corner.



(E) Alum. post, 3 ins. diam., set in concrete, buried 3 ins. below the surface, with alum. cap mkd. as shown, encased in a 7 1/2 in. diam., capped iron casing, set flush with road surface, perpetuated by Patrick Kalen, Registered Land Surveyor No. LS-4603, as described in Record of Survey, Plat 87-5 RS, Nenana Recording District, and accepted as a careful and faithful perpetuation of the original corner.



(F) Iron post, buried 4 ins. below the surface, firmly set, with brass cap mkd. as shown, encased in a 7 1/2 in. diam., capped iron casing, set flush with road surface, perpetuated by persons unknown, and accepted as the best available evidence of the original corner location.



MONUMENTS SET

ANCSA primary monument set this survey, stainless steel post, 28 ins. long, 2 1/2 in. diam., 28 to 32 ins. in the ground, a magnet with a white plastic case at the base, with a brass cap mkd. as shown, no accessories taken.



Typical cap marking for primary monument set this survey.

(G) At the corner position, recover decayed remains of spruce post, buried 15 ins. below ground.

(H) At the corner position, recover decayed remains of spruce post, buried 15 ins. below ground.

(I) At the corner position, recover an iron pipe, 1 3/4 in. diam., 14 ins. long, of unknown origin. Also the decayed remains of a spruce post, buried 18 ins. below ground. Place iron pipe inside stainless steel post.

(J) Corner position determined by grant boundary adjustment.

ANCSA secondary monument set this survey, 5/8 in. rebar, 30 ins. long with 2 in. alum. cap.





Typical cap marking for secondary monument set this survey.



ALASKA NATIVE CLAIMS SETTLEMENT ACT (ANCSA) SECTION 14(c), LOTS 1A AND 1B, BLOCK 15, U.S. SURVEY No. 1127 P.L. 92-203 (85 STAT. 688, 702, 703)

TOGHOTTHELE INCORPORATED AT NENANA, ALASKA

REFERENCE SHOULD BE MADE TO SHEET No. 1 FOR SURVEY INFORMATION



- LEGEND
◇ Original or perpetuated corner, as described.
● ANCSA primary monument set this survey.
■ ANCSA secondary monument set this survey.
No symbol or tick mark - Point Not Monumented



2012-4
Plat # NENANA
Rec Dist
MAR 28 2012
Date
Time 1:46 P.M.

Nenana 2012-4



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Alaska State Office
222 West Seventh Avenue, #13
Anchorage, Alaska 99513-7504
<http://www.blm.gov/ak>



In Reply Refer To:
NENANA
ANCSA 14(c)
9600 (927)

March 7, 2012

NENANA RECORDING DISTRICT
1648 S. Cushman Street, #201
Fairbanks, AK 99701-6206

Dear District Recorder:

The Alaska Native Claims Settlement Act (ANCSA) Section 14(c) plat for Toghothele Corporation at Nenana, Lots 1A and 1B, Block 15, U.S. Survey No. 1127, consisting of two (2) original sheets, transmitted to you by this letter of compliance, portrays a Cadastral Survey conducted to fulfill statutory requirements mandated by ANCSA, pursuant to Public Law 92-203 (Stat. 688, 702, 703), and satisfies the federal guidelines and requirements proclaimed for ANCSA 14(c) Surveys.

The plat represents surveyed parcels of land selected for ANCSA 14(c) reconveyances situated on portions of surface estate lands transferred from the United States of America by Patent No. 50-94-0042 to Toghothele Corporation.

ANCSA 14(c) Surveys have been authorized as federally mandated surveys, under the provisions of Section 13 of ANCSA, 43 U.S.C. Stat. 1612. The authority to execute all federal land surveys in Alaska is delegated by the Secretary of the Interior to the Director, Bureau of Land Management (BLM) and subsequently redelegate to me as the Chief Cadastral Surveyor, Alaska State Office. Accordingly, BLM requests that this plat be filed with the NENANA RECORDING DISTRICT to comply with the federal platting regulations and the agreements set forth between the Bureau of Land Management and the State Recording Authority.

Sincerely,

Michael H. Schoder
Chief Cadastral Surveyor for Alaska
Deputy State Director, AK-920