


AREA MAP INSET 1"=1000'



Community Map ANVIK

Runway CL Sta. 8+50 = 62° 39' 15.36"N 160° 11' 10.75"W (NAD 27)
 Runway CL Sta. 43+50 = 62° 38' 41.11"N 160° 11' 19.08"W (NAD 27)
 Sta. 43+50 Elev. 325' (scaled from USGS Quad Map)

USGS QUADRANGLE "HOLY CROSS (C-3)"
 Township 30 North, Range 58 West, S.M., AK
 KUSKOKWIM RECORDING DISTRICT

LEGEND

△ ^H Horizontal Control	○ Post	○ Misc. Object	* Rock
○ ^V Vertical Control	⊙ Sign	○MH Manhole	— Fence
△ ^{HV} Horizontal Vertical Control	⊙MB Mailbox	— Fire Hydrant	— Brush
○ Utility Pole	⊙ Windsock	— Culvert	— Gate
⊙ Guy Wire Anchor	⊙ Antenna	— Guardrail	— Trees
* Light Pole	⊕ Grid	⊙ Photo Center	⊕ Spot Elev.
* Runway Light	⊕ Pass Point	● Pole	⊕ Tree
			⊕ Swamp

0 200 400 600
SCALE IN FEET

SCALE: 1"=200'
 Date of Photography: August 16, 1999
 Magnetic Declination computed by U.S.G.S. Geomag Program using AK-1995.COF model as of Jan. 1, 1999. SHEET 1 of 1

MAP NOTES

This map was prepared by the Interior Rivers Resource Conservation and Development Council in cooperation with the Alaska Department of Community and Economic Development using grant funds provided by the U.S.D.A./Natural Resource Conservation Service. The Interior Rivers R C & D Council contracted with ASGC Incorporated in May 1999 to prepare the map.

This map is based upon a digital orthophoto prepared to National Map Accuracy Standards by Kodiak Mapping, Inc. from photography obtained on August 16, 1999 (original scale 1" = 500').

The orthophoto is an aerial photo which has been corrected, by rectification to ground control stations, to remove distortions and warpage due to ground topography and aircraft tilt and trim.

This map should not be construed as a survey. On-site surveys should be conducted prior to engineering or construction.

Property and utility information has been generated from the best available sources with limited accuracy checks. Utility location is particularly imprecise. Generally, the information is current as of May, 1999.

FLOOD DATA

The U.S. Army Corps of Engineers (C.O.E.) has established flood data for this community. The C.O.E. Tide Staff is located at the east end of a wooden bridge over a slough flowing into the Anvik River. Based on differential level ties the flood elevation is 100.15'. The source of this information is a document titled "Alaska District Corps of Engineers Flood Plain Management Services High Water Elevation Identification" for the community of Anvik, dated Feb. 28, 1994.

Flood Hazard exists in this community. Contact C.O.E. or DCED Flood Hazard Specialist for information for safe building elevations.

